

| | | |
|--|-----------------------|----------------|
| FORM HDP-1449 (Based on Form PTO-1449) PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE CITATION (Use several sheets if necessary) Sheet 1 of 1 | ATTORNEY DOCKET NO. | SERIAL NO. |
| | GP-302758 | To Be Assigned |
| | APPLICANT | |
| | Donald B. Nagy et al. | |
| | FILING DATE | GROUP |
| | To Be Assigned | To Be Assigned |

| U.S. PATENT DOCUMENTS | | | | | | |
|-----------------------|---------------------|-----------------|------------|------|-----------------|------------------------------|
| Ref. Desig. | Examiner's Initials | Document Number | Date | Name | Class/ Subclass | (If appropriate) Filing Date |
| 1. | <i>CDJ</i> | 5,835,974 | 11/10/1998 | Nagy | | |

| FOREIGN PATENT DOCUMENTS | | | | | | | |
|--------------------------|---------------------|-----------------|------|---------|-----------------|-----------------------|--|
| Ref. Desig. | Examiner's Initials | Document Number | Date | Country | Class/ Subclass | Translation Yes No | |
| 1. | | | | | | | |

| OTHER DOCUMENTS (including Author, Title, Date, Pertinent Pages, etc.) | | |
|--|---------------------|--|
| Ref. Desig. | Examiner's Initials | |
| 1. | <i>CDJ</i> | C.D. Paulsell, P.E., "The Use Of Exponential Dilution Flow In Gas Analyzer Calibrations", U.S. Environmental Protection Agency, Ann Arbor, MI 48105. |

| | |
|----------------------|---------------------------------|
| Examiner: <i>CDJ</i> | Date Considered: <i>8/12/05</i> |
|----------------------|---------------------------------|

EXAMINER: Please initial if citation considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.